






No vehicles
Midnight - 11 am



Dimensions used when
the Welsh legend is
positioned above the English

- Notes: -
1. The legend is from the Transport Heavy alphabet at the 'x'-heights shown.
 2. The roundel dimensions are proportional to those shown on Drwg. Nos. P 619 & P 636.
 3. The outlines of the tiles do not form part of the sign.
 4. The colours are as follows: -
Legend, border & symbols — Black
Background (upper 2 sections) — White
Background (bottom section) — Yellow
Roundels & diagonal bar — Red
No Waiting roundel interior — Blue
 5. The sign is designed in accordance with the current design rules.
 6. The 'x'-heights are given in millimetres, all other dimensions are in stroke widths based on the 37.5mm 'x'-height (4sw = 'x'-ht.)
 7. The order of languages may be reversed if required.
 8. See sheets 2 to 8 for other variants.

REVISIONS	
1.	Number changed from WO/WBM 344 14.2.96
2.	Redrawn & notes amended 17.8.99
3.	Legend and dimensions amended 25.1.02
4.	Notes and dimensions amended 16.3.05
5.	Notes amended 6.2.07
Before using this drawing, confirm with RNM3 Division that it has not been superseded.	
Drn.	A.T.I.
Appd.	
Chkd.	Appl. date 29.8.89
Issue: 6.2.07	
Scale: Photo-reduced	
Title Regulatory Signs	
RESTRICTED ENTRY TO A PEDESTRIAN ZONE (Alternative Types)	
WELSH ASSEMBLY GOVERNMENT	
Drwg. no. WAG/P 618.3	
Sheet 1 of 8	

Notes:—




1. The legend is from the Transport Heavy alphabet at the 'x'—height shown.
2. Details of the lorry, disabled symbol and 'No waiting' roundel are given on drawings S 32 sheet 1, S 45 and P 636 respectively.
3. The outlines of the tiles do not form part of the sign.
4. The colours are as follows:—
Backgrounds ————— White
Background (bottom panel) ————— Yellow
Legend, border & lorry symbol ——— Black
Disabled symbol ————— White
Disabled tile ————— Blue
Roundel & Bar ————— Red
Background to roundel ————— Blue
5. The sign is designed in accordance with the current design rules.
6. The 'x'—heights are given in millimetres, all other dimensions are in stroke widths (4sw = 'x'—ht.)
7. The order of languages may be reversed if required.
8. See sheets 3 to 8 for other variants.

2.5
Except 

bysiau, tacsis

1.5

Spacing used after a comma



37.5 'x'—ht.

3

2

REVISIONS		
1.	Number changed from WO/WBM 343 9.2.96	
2.	Note 11 added 14.1.99	
3.	Redrawn & notes amended 17.8.99	
4.	Legend amended 28.1.03	
5.	Variants added & notes amended 15.3.05	
6.	Notes amended 6.2.07	
Before using this drawing, confirm with RNM3 Division that it has not been superseded.		
Drn.	A.T.I.	Appd.
Chkd.		Appl. date 23.8.99
Issue: 6.2.07		
Scale: Photo—reduced		
Title Regulatory Signs		
RESTRICTED ENTRY TO A PEDESTRIAN ZONE (Permitted Variants)		
WELSH ASSEMBLY GOVERNMENT		
Drwg. no.	WAG/P 618.3	
Sheet 2 of 8		

-
- Drwg. no. WAG/P 618.3
- Equal
- Width of sign determined by middle panel
- Equal
- 10
- 37.5
- 62.5
- 'x'-ht.
- 'x'-ht.
- 8
- 14
- 1.8
- 6.4
- Equal
- Equal
- This width is increased to 20sw when a third character is added

bysiau, tacsis

→||← Spacing used after a comma
1.5

37.5 'x'-ht.

- 62

**Except
local buses**

and 

Ac eithrio bysiau lleol

a 

REVISONS	
1.	Number changed from WO/WBM 343 9.2.96
2.	Note 11 added 14.1.99
3.	Redrawn & notes amended 17.8.99
4.	Legend amended 28.1.03
5.	Variants added & notes amended 15.3.05
6.	Notes amended 6.2.07
7.	Legend amended 1.10.08
Before using this drawing, confirm with RNM3 Division that it has not been superseded.	
Drn. A.T.I.	Appd.
Chkd.	Appl. date 23.8.99
Issue: 1.10.08	
Scale: Photo-reduced	
Title Regulatory Signs RESTRICTED ENTRY TO A PEDESTRIAN ZONE (Permitted Variants)	
WELSH ASSEMBLY GOVERNMENT	
Drwg. no.	WAG/P 618.3
Sheet 3 of 8	


Title	Regulatory Signs
RESTRICTED ENTRY TO A PEDESTRIAN ZONE (Permitted Variants)	

WELSH ASSEMBLY GOVERNMENT


Drwg. no. WAG/P 618.3

Notes: -

1. The legend is from the Transport Heavy alphabet at the 'x'-height shown. The permit code characters are from the Transport Medium alphabet.
2. The outlines of the tiles do not form part of the sign.
3. The colours are as follows: -
Backgrounds ————— White
Background (bottom panel) ————— Yellow
Legend & border ————— Black
Roundel ————— Red
The permit code characters and tiles may be in any contrasyting colours.
4. The sign is designed in accordance with the current design rules.
5. The 'x'-heights are given in millimetres, all other dimensions are in stroke widths based on the 37.5mm 'x'-height (4sw = 'x'-ht.).
6. The order of languages may be reversed if required.
7. See sheets 2, 3, 5, 6, 7 and 8 for other variants.




For other dimensions
see sheet 1



REVISIONS	
1.	Number changed from WO/WBM 343 9.2.96
2.	Note 11 added 14.1.99
3.	Redrawn & notes amended 17.8.99
4.	Legend amended 28.1.03
5.	Variants added & notes amended 15.3.05
6.	Notes amended 6.2.07
7.	Legend amended 1.10.08
Before using this drawing, confirm with RNM3 Division that it has not been superseded.	
Drn.	A.T.I.
Appd.	
Chkd.	Appl. date 23.8.89
Issue: 1.10.08	
Scale: Photo-reduced	
Title Regulatory Signs	
RESTRICTED ENTRY TO A PEDESTRIAN ZONE (Permitted Variants)	
WELSH ASSEMBLY GOVERNMENT	
Drwg. no.	WAG/P 618.3
Sheet 4 of 8	



Notes: -

1. The legend is from the Transport Heavy alphabet at the 'x'-height shown. The permit code characters are from the Transport Medium alphabet.
 2. Details of the lorry and disabled symbols are given on drawings S 32 sheet 1 and S 45 respectively.
 3. The outlines of the tiles do not form part of the sign.
 4. The colours are as follows: -
Background _____ White
Legend, border & lorry symbol _____ Black
Disabled symbol _____ White
Disabled tile _____ Blue
- The permit code characters and tiles may be in any contrasting colours.
5. The sign is designed in accordance with the current design rules.
 6. The 'x'-heights are given in millimetres, all other dimensions are in stroke widths (4sw = 'x'-ht.)
 7. The order of languages may be reversed if required.
 8. See sheets 2, 3, 4, 6, 7 and 8 for other variants. See sheet 3 for details of the permit code letters.







* This dimension is reduced to 2sw when there are no permit code tiles

37.5 'x'-ht.



REVISIONS

1.	Number changed from WO/WBM 343 9.2.96	
2.	Note 11 added 14.1.99	
3.	Redrawn & notes amended 17.8.99	
4.	Legend amended 28.1.03	
5.	Variants added & notes amended 15.3.05	
6.	Notes amended 6.2.07	
7.	Legend amended 1.10.08	
Before using this drawing, confirm with RNM3 Division that it has not been superseded.		
Drn. A.T.I.		Appd.
Chkd.		Appl. date 23.8.89
Issue: 1.10.08		
Scale: Photo-reduced		
Title Regulatory Signs		
RESTRICTED ENTRY TO A PEDESTRIAN ZONE (Permitted Variants)		
WELSH ASSEMBLY GOVERNMENT		
Drwg. no. WAG/P 618.3		
Sheet 5 of 8		




Width of sign determined
by bottom panel
(Min 62sw)

Notes: -

1. The legend is from the Transport Heavy alphabet at the 'x'-height shown. The permit code characters are from the Transport Medium alphabet.
2. Details of the disabled and 'No waiting' symbols are given on drawing S 45 and P 636 respectively.
3. The outlines of the tiles do not form part of the sign.
4. The colours are as follows: -
Background _____ White
Legend and border _____ Black
Disabled symbol _____ White
Disabled tile _____ Blue
Roundel & Bar _____ Red
Background to Roundel _____ Blue
The permit code characters and tiles may be in any contrasting colours.
5. The sign is designed in accordance with the current design rules.
6. The 'x'-heights are given in millimetres, all other dimensions are in stroke widths (4sw = 'x'-ht.)
7. The order of languages may be reversed if required.
8. See sheets 2, 3, 4, 5, 7 and 8 for other variants.




REVISIONS

1.	Number changed from WO/WBM 343 9.2.96	
2.	Note 11 added 14.1.99	
3.	Redrawn & notes amended 17.8.99	
4.	Legend amended 28.1.03	
5.	Variants added & notes amended 15.3.05	
6.	Notes amended 6.2.07	
7.	Legend amended 1.10.08	
Before using this drawing, confirm with RNM3 Division that it has not been superseded.		
Drn. A.T.I.		Appd.
Chkd.		Appl. date 23.8.99
Issue: 1.10.08		
Scale: Photo-reduced		
Title Regulatory Signs		
RESTRICTED ENTRY TO A PEDESTRIAN ZONE (Permitted Variants)		
WELSH ASSEMBLY GOVERNMENT		
Drwg. no. WAG/P 618.3		
Sheet 6 of 8		



Notes:—

1. The legend is from the Transport Heavy alphabet at the 'x'—height shown. The permit code characters are from the Transport Medium alphabet.
2. Details of the disabled symbol are given on drawing S 45.
3. The outlines of the tiles do not form part of the sign.
4. The colours are as follows:—
Background _____ White
Legend and border _____ Black
Disabled symbol _____ White
Disabled tile _____ Blue
The permit code characters and tiles may be in any contrasting colours.
5. The sign is designed in accordance with the current design rules.
6. The 'x'—heights are given in millimetres, all other dimensions are in stroke widths (4sw = 'x'—ht.)
7. The order of languages may be reversed if required.
8. See sheets 2, 3, 4, 5, 6 and 8 for other variants.





REVISIONS

1.	Number changed from WO/WBM 343 9.2.96	
2.	Note 11 added 14.1.99	
3.	Redrawn & notes amended 17.8.99	
4.	Legend amended 28.1.03	
5.	Variants added & notes amended 15.3.05	
6.	Notes amended 6.2.07	
7.	Legend amended 1.10.08	
Before using this drawing, confirm with RNM3 Division that it has not been superseded.		
Drn. A.T.I.		Appd.
Chkd.		Appl. date 23.8.89
Issue: 1.10.08		
Scale: Photo—reduced		
Title Regulatory Signs		
RESTRICTED ENTRY TO A PEDESTRIAN ZONE (Permitted Variants)		
WELSH ASSEMBLY GOVERNMENT		
Drwg. no. WAG/P 618.3		
Sheet 7 of 8		

Notes:—

1. The legend is from the Transport Heavy alphabet at the 'x'—height shown.
2. Details of the disabled symbol are given on drawing S 45.
3. The outlines of the tiles do not form part of the sign.
4. The colours are as follows:—
Background ————— White
Legend and border ————— Black
Disabled symbol ————— White
Disabled tile ————— Blue
5. The sign is designed in accordance with the current design rules.
6. The 'x'—heights are given in millimetres, all other dimensions are in stroke widths (4sw = 'x'—ht.)
7. The order of languages may be reversed if required.
8. See sheets 2, 3, 4, 5, 6 and 7 for other variants.



REVISIONS

1.	Number changed from WO/WBM 343 9.2.96	
2.	Note 11 added 14.1.99	
3.	Redrawn & notes amended 17.8.99	
4.	Legend amended 28.1.03	
5.	Variants added & notes amended 15.3.05	
6.	Notes amended 6.2.07	
Before using this drawing, confirm with RNM3 Division that it has not been superseded.		
Drn.	A.T.I.	Appd.
Chkd.		Appl. date 23.8.99
Issue: 6.2.07		
Scale: Photo-reduced		
Title Regulatory Signs		
RESTRICTED ENTRY TO A PEDESTRIAN ZONE (Permitted Variants)		
WELSH ASSEMBLY GOVERNMENT		
Drwg. no.	WAG/P 618.3	
Sheet 8 of 8		