



Ymddiriedolaeth
Genedlaethol
National Trust

plas newydd



66.26m
Area: 3564.46 m²
Perimeter: 240.11 m
66.98 m
67.42 m
Area: 4597.10 m²
Perimeter: 263.42 m
67.49 m
Area: 3094.46 m²
Perimeter: 226.68 m
58.80 m

West Lodge

Buxial Chamber

Pink

Dairy Wood

Cattle Grid

Solar Panels

Plas Newydd

Scale: 4504

100 m

X: 251631

Y: 369412

Menai Strait


Mean Low Water

Mean High Water





Ymddiriedolaeth
Genedlaethol
National Trust





Ymddiriedolaeth
Genedlaethol
National Trust

Location	Area	Number of bays
1	3094m ² (64m x 45m)	94 (potential for 24 disabled access)
2	4597m ² (67m x 67m)	147 (potential for 48 disabled access)
3	3564m ² (66m x 54m)	118 (potential for 35 disabled access)
4	66m ² (62m x 10m)	20 (potential for 3 disabled access)
5	270m ² (19m x 13m)	6 (potential for 1 disabled access)

Approximately 385bays

- If we applied only the standard 6% allowance for disabled parking provision we would gain approximately 80 further non-disability sized bays (allowing still for throughfare and traffic flow) = **Approximately 465 in total**
- Calculations based on UK parking guidance allowing for disabled access bay at 3.6m x 5m per bay.
- Standard parking bay calculated at 2.4m x 5m
- Allowed for interconnecting road between each row of bays to ensure traffic flow.
- All calculations at this EOI stage subject to detailed design, topographical or otherwise considerations which may impact numbers. Subject to planning.

Potential to also integrate existing NT car parking areas for specific events taking total beyond 500 parking spaces.